

SYCAMORE

Kitchen Lighting 2025



Illuminating Spaces

KITCHEN | BEDROOM | BATHROOM

Welcome to our new
Kitchen Lighting Collection
for 2025!



Illuminating Spaces

KITCHEN | BEDROOM | BATHROOM



Our Technical Team

Looking for some assistance with any of your projects? Our technical and design experts are here to help, just follow the three simple steps below;

3 STEP DESIGN SERVICE



1. Send your plan along with a short brief to tech@sycamoreLED.com
2. Our experts design the perfect lighting scheme for your project
3. You receive a quotation including a full list of products ready to order

Or fill out the dedicated form on our website!



Bespoke Lighting Service

Our technical and design team also offer a bespoke lighting service.

For further details please contact our team using the email address below, or call us to see how we can help.

tech@sycamoreled.com
tel: 0113 2866686

5-Year Warranty

At Sycamore, we stand behind the quality and reliability of our products. That's why we offer a 5-year guarantee* on the majority of our range, ensuring peace of mind for our customers.

*Certain products are not included in this guarantee, as indicated on the relevant catalogue pages. Please refer to the product-specific information for further details.

For full terms and conditions, please visit our website.

Our New Showroom

Our beautiful new showrooms are now open for business!

Our technical team have worked their socks off to build our new kitchen and bathroom showrooms, which are jam-packed with all the very latest in lighting technology, along with stylish designs and impressive lighting control systems to suit all installations.

To arrange a tour, please give us a call or contact your regional sales manager!

Clever use of LED strip...

Create a modern linear look using LED strip in different areas of the kitchen. This type of lighting looks especially good on handle-less kitchen designs, and emphasises the smart, clean style.

Tunable LED strip can also be used, enabling the user to change the colour of the lighting, and even dim to create a bespoke lighting scheme depending on the mood required!





Unique Designs!

Our technical team love to create extraordinary designs for our customers.

Our new wood panelled wall has been fitted with LED strip, in a unique pattern to create a stunning effect.

These type of walls could also be fitted with RGB colour changing LED strip to add even further wow factor!.



Stunning illumination within cupboards

The popularity of built in gin bars, or larder units is growing, and these units can be completely transformed with the use of LED Flexible strip.

Our new colour changing pixel strip features a new technology which controls the LED chips separately, so different colours can be set within just one length of strip. The ultimate wow factor for a show-stopping feature in any kitchen!

Contents

Kitchen Cabinet Lighting

- 10 Solaris Diffused
- 12 Vega Diffused
- 16 Sirius Diffused Super Slim
- 18 Sirius Diffused Tunable White
- 20 Sirius Diffused Connect
- 22 Cucina Lite Multi Point
- 24 Capella Diffused 240V
- 26 Sirius Diffused 240V Link lights (including switchable white)

Flexible LED Strip Lighting

- 30 Bespoke LED Strip - LED Sheets & Strip for Acoustic Wood Panels
- 32 RGB COB
- 34 Tunable COB
- 36 Standard/Superior COB
- 40 Flexile & ARC
- 42 LED Strip Reels
- 44 IP65 LED Strip
- 46 Aluminium Extrusion

Plinth, Shelf, Battery & Drawer Lighting

- 50 Plinth Lighting
- 52 Shelf Lighting
- 54 Drawer and Battery Lighting

Pendant Lighting

- 58 Pendant Lighting

Contents

Ceiling Lighting

63 Riga LED Downlights

Power Ports & Charging

65 Powertech Pop Up Sockets

66 Evoline One

67 Evoline R-Dock & Wing

67 Hidden Wireless Charger

Lighting Control Systems

68 Wireless Smart Lighting Controls

70 Door, Swipe & Dimming Controls

71 PIR Motion Sensors

Accessories & Extractor Fans

72 LED Drivers

73 iCON 60 Extractor Fan

Glossary & Terms and Conditions

74 Glossary & Technical Data

75 Terms and Conditions

Our products are listed on



Style Guide

Cabinet Lighting



In-cabinet lighting can offer several practical and aesthetic benefits, enhancing both the functionality and appearance of your space. Placing lighting inside cabinets, also makes it easier to find items hiding in the back of your cupboards! Pair with a door sensor to automatically switch the lights on and off for ease of use, and energy efficiency.





Under cabinet lighting should be stylish, yet functional. All our under cabinet lights feature a wide beam angle which floods worktops with light - essential for areas used for food & drink preparation!



HINTS & TIPS

- When deciding where to place your kitchen lighting, it's important to consider both functionality and ambiance. The ideal placement for kitchen cabinet lighting should focus on key areas where you need the most visibility, before adding any ambient or mood lighting.
- Choosing the right colour temperature for LED lighting in your kitchen is important for both functionality and ambiance. The colour temperature is measured in Kelvin (K), and it can significantly affect the mood of the space. Natural White (4000K) is a popular choice and suits any type of kitchen design, whether modern or traditional. Warm White offers a slight yellow tone, creating a cosy and inviting space.

Solaris Diffused LED

Diffused LED so no visible LED Points

Super Slim discreet and compact

120° Beam Angle for a bright spread of light



 **5 YEAR GUARANTEE**



Solaris Pro




Finish: Aluminium or Matt Black
Power Supply: 12Vdc
LED Colour: Warm/Natural White
Kelvins: 3000-3500K/4000K-4500K
Wattage: 4.5W
Total Lumens: WW 245lm/NW 313lm
CRI: WW Ra 82/NW Ra 84
IP Rating: IP20
Beam Angle: 120°
Cable: 1.5m

Aluminium/Warm White
 SY8850AL/WW
 £18.90

Aluminium/Natural White
 SY8850AL
 £18.90

Matt Black/Warm White
 SY8850BL/WW
 £18.90

Matt Black/Natural White
 SY8850BL
 £18.90




Solaris Recti



Finish: Aluminium or Matt Black
Power Supply: 12Vdc
LED Colour: Natural White
Kelvins: 4000K-4500K
Wattage: 3.5W
Total Lumens: 156lm
CRI: Ra 87
IP Rating: IP20
Beam Angle: 120°
Cable: 1.5m

Aluminium/Natural white
 SY8951
 £20.95

Matt Black/Natural White
 SY8951BL
 £20.95




Solaris Square



Finish: Aluminium
Power Supply: 12Vdc
LED Colour: Natural White
Kelvins: 4000K-4500K
Wattage: 3.5W
Total Lumens: 157lm
CRI: Ra 86
IP Rating: IP20
Beam Angle: 120°
Cable: 1.5m

Aluminium/Natural White
 SY8950
 £20.02



LED Drivers

Please do not exceed wattage stated above

12Vdc 8W LED Driver (3 ports)	
SY9980B	£11.28
12Vdc 15W LED Driver (6 ports)	
SY9739A/MF	£19.97
12Vdc 20W LED Driver (6 ports)	
SY7350A/MF	£27.44
12Vdc 30W LED Driver (6 ports)	
SY7715	£31.50

Prices listed are R.R.P including VAT

Controls & Accessories

Our wireless smart controls enable control by wireless wall plates, smart phones, or even voice control via Amazon Alexa!

Wireless Smart Controls (including dimming)	
Page 68 - 69	
Door Sensors, Switches and Dimmers	
Page 70 - 71	
Extension Cables	
2M - SY7183	£1.31
5M - SY7183/5	£2.34



Vega Diffused

Diffused LED so no visible LED Points

120° Beam Angle for a bright spread of light



5 YEAR GUARANTEE



Vega Moda



Finish: Matt Black (Brushed Nickel & White covers available to purchase separate)

Power Supply: 12Vdc

LED Colour: Natural White

Kelvins: 4000K-4500K

Wattage: 2.2W

Total Lumens: 150lm

CRI: Ra 87

IP Rating: IP20

Beam Angle: 120°

Cable: 2m

Matt Black/Natural White

SY9805/BL

£12.54

Brushed Nickel Cover


SY9806/BN

£2.44

White Cover

SY9806/WH

£2.44



Vega Flat Panel



Finish: Brushed Nickel or Matt Black

Power Supply: 12Vdc

LED Colour: Warm/Natural White

Kelvins: 3000-3500K/4000K-4500K

Wattage: 3.5W

Total Lumens: WW 185lm/NW 198lm

CRI: WW Ra93/NW Ra96

IP Rating: IP20

Beam Angle: 120°

Cable: 1.5m

Brushed Nickel/Warm White

SY8949BN/WW

£14.49

Brushed Nickel/Natural White

SY8949BN/NW

£14.49

Matt Black/Warm White



SY8949BL/WW

£16.38

Matt Black/Natural White

SY8949BL/NW

£16.38



Vega Max



Finish: Brushed Nickel or Matt Black

Power Supply: 12Vdc

LED Colour: Warm/Natural White

Kelvins: 3000-3500K/4000K-4500K

Wattage: 5W

Total Lumens: WW 499lm/NW 450lm

CRI: Ra>80

IP Rating: IP20

Beam Angle: 120°

Cable: 1.5m

Brushed Nickel/Warm White

SY8887WW

£21.72

Brushed Nickel/Natural White

SY8887NW

£21.72

Matt Black/Warm White


SY8887BL/WW

£23.74

Matt Black/Natural White

SY8887BL/NW

£23.74



LED Drivers

Please do not exceed wattage stated above

12Vdc 8W LED Driver (3 ports)

SY9980B

£11.28

12Vdc 15W LED Driver (6 ports)

SY9739A/MF

£19.97

12Vdc 20W LED Driver (6 ports)

SY7350A/MF

£27.44

12Vdc 30W LED Driver (6 ports)

SY7715

£31.50

Prices listed are R.R.P including VAT

Controls & Accessories

Our wireless smart controls enable control by wireless wall plates, smart phones, or even voice control via Amazon Alexa!

Wireless Smart Controls (including dimming)

Page 68 - 69

Door Sensors, Switches and Dimmers

Page 70 - 71

Extension Cables

2M - SY7183

£1.31

5M - SY7183/5

£2.34



Vega Diffused

Diffused LED so no visible LED Points

120° Beam Angle for a bright spread of light



 **5 YEAR GUARANTEE**



Vega Designer Tri



Finish: Brushed Nickel/Matt Black*
Power Supply: 12Vdc
LED Colour: Warm/Natural White*
Kelvins: 3000-3500K/4000-4500K*
Wattage: 2.3W
Total Lumens: WW 171lm/NW 185lm
CRI: WW Ra 84/NW Ra 89
IP Rating: IP20
Beam Angle: 120°
Cable: 2m

*Black option only available in natural white

Brushed Nickel/Warm White
 SY7947WW

£10.72

Brushed Nickel/Natural White
 SY7947

£10.72

Matt Black/Natural White
 SY7947BL/NW
 £11.40



Vega Tri




Finish: Brushed Nickel
Power Supply: 12Vdc
LED Colour: Warm/Natural White
Kelvins: 3000-3500K/4000-4500K
Wattage: 2.3W
Total Lumens: WW 171lm/NW 185lm
CRI: WW Ra 84/NW Ra 89
IP Rating: IP20
Beam Angle: 120°
Cable: 2m

Brushed Nickel/Warm White
 SY7980WW

£14.49

Brushed Nickel/Natural White
 SY7980NW

£14.49



Vega Recti



Finish: Brushed Nickel
Power Supply: 12Vdc
LED Colour: Warm/Natural White
Kelvins: 3000-3500K/4000-4500K
Wattage: 2.3W
Total Lumens: WW 171lm/NW 185lm
CRI: WW Ra 84/NW Ra 89
IP Rating: IP20
Beam Angle: 120°
Cable: 2m

Brushed Nickel/Warm White
 SY6881WW

£14.52

Brushed Nickel/Natural White
 SY6881NW

£14.52



Vega Rec/Sur



Finish: Brushed Nickel/Matt Black*
Power Supply: 12Vdc
LED Colour: Warm/Natural White
Kelvins: 3000-3500K/4000-4500K
Wattage: 2.3W
Total Lumens: WW 171lm/NW 185lm
CRI: WW Ra 84/NW Ra 89
IP Rating: IP20
Beam Angle: 120°
Cable: 2m

*Black option only available in natural white

Recessed

Brushed Nickel/Warm White
 SY7945BN/WW

Brushed Nickel/Natural White
 SY7945BN/NW


Matt Black/Natural White
 SY7945BL/NW
 All recessed £7.55

Surface




Brushed Nickel/Warm White
 SY7946BN/WW

Brushed Nickel/Natural White
 SY7946

Matt Black/Natural White
 SY7946BL/NW
 All surface £8.63



Spacer depth if surface mounted 16mm



LED Drivers

Please do not exceed wattage stated above

12Vdc 8W LED Driver (3 ports)

SY9980B £11.28

12Vdc 15W LED Driver (6 ports)

SY9739A/MF £19.97

Controls & Accessories

Our wireless smart controls enable control by wireless wall plates, smart phones, or even voice control via Amazon Alexa!

Wireless Smart Controls (including dimming)

Page 68 - 69

Door Sensors, Switches and Dimmers

Page 70 - 71

Extension Cables

2M - SY7183 £1.31

5M - SY7183/5 £2.34



Sirius Super-Slim Diffused

Diffused LED so no visible LED Points

115°/120° Beam Angle for a bright spread of light



5 YEAR GUARANTEE



Easy-fit magnetic bezels



Built in sensor - perfect for inside cabinets



Sirius Super-Slim



Finish: Brushed Nickel or Matt Black
Power Supply: 12Vdc
LED Colour: Warm/Natural White
Kelvins: 3000K-3500K/4000K-4500K
Wattage: 2W
Total Lumens: WW 125lm/NW 143lm
CRI: WW Ra 80/NW Ra 86
IP Rating: IP20
Beam Angle: 120°
Cable: 1.5m

Brushed Nickel/Warm White
 SY8935A/WW

£8.81

Brushed Nickel/Natural White
 SY8935A

£8.81

Matt Black/Warm White
 SY8935A/BLWW

£00.00

Matt Black/Natural White
 SY8935A/BL

£11.33

Sirius Super-Slim Angled



Finish: Matt Black
Power Supply: 12Vdc
LED Colour: Very Warm White
Kelvins: 2700K
Wattage: 2W
Total Lumens: 52lm
CRI: Ra 81
IP Rating: IP20
Beam Angle: 120°
Cable: 1.5m

Matt Black/Warm White
 SY8935B/2700K

£11.33




Sirius Super-Slim Sensor



Finish: Aluminium
Power Supply: 12Vdc
LED Colour: Natural White
Kelvins: 4000K-4500K
Wattage: 3W
CRI: Ra > 80
IP Rating: IP20
Beam Angle: 115°
Cable: 2m

Aluminium/Natural White
 SY7786

£12.54



LED Drivers

Please do not exceed wattage stated above

12Vdc 8W LED Driver (3 ports) SY9980B	£11.28
12Vdc 15W LED Driver (6 ports) SY9739A/MF	£19.97
12Vdc 20W LED Driver (6 ports) SY7350A/MF	£27.44
12Vdc 30W LED Driver (6 ports) SY7715	£31.50

Controls & Accessories

Our wireless smart controls enable control by wireless wall plates, smart phones, or even voice control via Amazon Alexa!

Wireless Smart Controls (including dimming)* Page 68 - 69	
Door Sensors, Switches and Dimmers* Page 70 - 71	
Extension Cables	
2M - SY7183	£1.31
5M - SY7183/5	£2.34

*not compatible with Sirius Super-Slim Sensor



Sirius Diffused Tunable

Tunable White Change LED colour from Warm/Natural/Cool White

Diffused LED so no visible LED Points

120° Beam Angle for a bright spread of light

 5 YEAR GUARANTEE



Alexa!
Change Cabinet Lights
to Warm White!

Can also be controlled via a
smart phone, tablet, or a voice
controlled assistant such as

Amazon Alexa!

(requires free downloadable app)





Sirius Tunable Designer Tri



Finish: Brushed Nickel
Power Supply: 12Vdc
LED Colour: Tunable White
Kelvins: 3000K-6000K
Wattage: 2.6W
Total Lumens: 158lm
CRI: Ra 89
IP Rating: IP44
Beam Angle: 120°
Cable: 2m

2 Light Kit
 SY7939BTW/2
 £96.66

3 Light Kit
 SY7939BTW/3
 £112.08

Individual Light
 SY7938TW
 £21.26



Sirius Tunable Tri




Finish: Brushed Nickel
Power Supply: 12Vdc
LED Colour: Tunable White
Kelvins: 3000K-6000K
Wattage: 2.6W
Total Lumens: 158lm
CRI: Ra 89
IP Rating: IP44
Beam Angle: 120°
Cable: 2m

2 Light Kit
 SY7941BTW/2
 £96.66

3 Light Kit
 SY7941BTW/3
 £112.08

Individual Light
 SY7940TW
 £21.26



Sirius Tunable Designer Recti



Finish: Brushed Nickel
Power Supply: 12Vdc
LED Colour: Tunable White
Kelvins: 3000K-6000K
Wattage: 2.6W
Total Lumens: 158lm
CRI: Ra 89
IP Rating: IP44
Beam Angle: 120°
Cable: 2m

2 Light Kit
 SY7943BTW/2
 £90.66

3 Light Kit
 SY7943BTW/3
 £112.08

Individual Light
 SY7942TW
 £16.46



Sirius Tunable Rec/Sur







Finish: Brushed Nickel
Power Supply: 12Vdc
LED Colour: Tunable White
Kelvins: 3000K-6000K
Wattage: 2.6W
Total Lumens: 158lm
CRI: Ra 89
IP Rating: IP44
Beam Angle: 120°
Cable: 2m

2 Light Kit
 SY7937BTW/2
 £84.88

3 Light Kit
 SY7937BTW/3
 £98.28

Individual Light
 SY7936TW
 £16.32




Spacer depth if surface mounted 16mm

Controls & Accessories

Each kit contains specified number of lights, 1 x 15W LED Driver & 1 x receiver with 3-way distribution cable. Remote control required (purchased separate).

- (a) Tunable White Remote Control - Black
- (b) Tunable White Remote Control - White
- (c) Additional Tunable Receiver
- 3 Way Distribution Cable
- 2m Extension Cable (from 3 Way Distribution Cable to Lights)
- 2m Extension Cable
- 5m Extension Cable

SY9565A	£16.80
SY9565	£16.80
SY7699B	£53.32
SY7893A	£6.20
SY8018	£5.67
SY7183	£1.31
SY7183/5	£2.34



Sirius Diffused Connect

Easy-Fit Detachable Cable from the back of the fitting

Diffused LED so no visible LED Points

120° Beam Angle for a bright spread of light



 5 YEAR GUARANTEE



Sirius Connect Designer Tri



Finish: Brushed Nickel
Power Supply: 12Vdc
LED Colour: Warm/Natural/Cool White
Kelvins: 3000-3500K/4000-4500K/6000-6500K
Wattage: 2.6W
Total Lumens: WW 177lm/NW 187lm/CW 177lm
CRI: WW Ra 82/NW Ra 85/CW Ra 86
IP Rating: IP44
Beam Angle: 120°
Cable: 2m

Brushed Nickel/Warm White
 SY9568WW
 £15.86

Brushed Nickel/Natural White
 SY9568NW
 £15.86

Brushed Nickel/Cool White
 SY9568CW
 £15.86



Sirius Connect Tri




Finish: Brushed Nickel
Power Supply: 12Vdc
LED Colour: Warm/Natural/Cool White
Kelvins: 3000-3500K/4000-4500K/6000-6500K
Wattage: 2.6W
Total Lumens: WW 177lm/NW 187lm/CW 177lm
CRI: WW Ra 82/NW Ra 85/CW Ra 86
IP Rating: IP44
Beam Angle: 120°
Cable: 2m

Brushed Nickel/Warm White
 SY9569WW
 £17.76

Brushed Nickel/Natural White
 SY9569NW
 £17.76

Brushed Nickel/Cool White
 SY9569CW
 £17.76



Sirius Connect Designer Recti



Finish: Brushed Nickel
Power Supply: 12Vdc
LED Colour: Warm/Natural/Cool White
Kelvins: 3000-3500K/4000-4500K/6000-6500K
Wattage: 2.6W
Total Lumens: WW 177lm/NW 187lm/CW 177lm
CRI: WW Ra 82/NW Ra 85/CW Ra 86
IP Rating: IP44
Beam Angle: 120°
Cable: 2m

Brushed Nickel/Warm White
 SY7882WW
 £20.10

Brushed Nickel/Natural White
 SY7882NW
 £20.10

Brushed Nickel/Cool White
 SY7882CW
 £20.10







Sirius Connect Rec/Sur



Finish: Brushed Nickel
Power Supply: 12Vdc
LED Colour: Warm/Natural/Cool White
Kelvins: 3000-3500K/4000-4500K/6000-6500K
Wattage: 2.6W
Total Lumens: WW 177lm/NW 187lm/CW 177lm
CRI: WW Ra 82/NW Ra 85/CW Ra 86
IP Rating: IP44
Beam Angle: 120°
Cable: 2m

Recessed
 Brushed Nickel/Warm White
 SY9566WW
 Brushed Nickel/Natural White
 SY9566
 Brushed Nickel/Cool White
 SY9566CW
 All recessed £11.27

Surface
 Brushed Nickel/Warm White
 SY9567WW
 Brushed Nickel/Natural White
 SY9567NW
 Brushed Nickel/Cool White
 SY9567CW
 All surface £12.73



Spacer depth if surface mounted 16mm

LED Drivers

Please do not exceed wattage stated above

12Vdc 8W LED Driver (3 ports) SY9980B	£11.28
12Vdc 15W LED Driver (6 ports) SY9739A/MF	£19.97
12Vdc 20W LED Driver (6 ports) SY7350A/MF	£27.44

Controls & Accessories

Our wireless smart controls enable control by wireless wall plates, smart phones, or even voice control via Amazon Alexa!

Wireless Smart Controls (including dimming) Page 68 - 69	
Door Sensors, Switches and Dimmers Page 70 - 71	
Extension Cables	
2M - SY7183	£1.31
5M - SY7183/5	£2.34



Cucina Lite Multi-Point LED

Super Slim discreet and compact



 **5 YEAR GUARANTEE**




Cucina Lite Solaris Recti



Finish: Aluminium or Matt Black
Power Supply: 12Vdc
LED Colour: Natural White
Kelvins: 4000K-4500K
Wattage: 5W
Total Lumens: 481lm
CRI: Ra 85
IP Rating: IP20
Beam Angle: 120°
Cable: 1.5m

Aluminium/Natural White
 SY7923
 £20.95

Matt Black/Natural White
 SY7923BL
 £20.95




Cucina Lite Solaris Square



Finish: Aluminium
Power Supply: 12Vdc
LED Colour: Natural White
Kelvins: 4000K-4500K
Wattage: 5W
Total Lumens: 487lm
CRI: Ra 85
IP Rating: IP20
Beam Angle: 120°
Cable: 1.5m

Aluminium/Natural White
 SY7922
 £20.02




Cucina Lite Touch



Finish: Brushed Nickel
Power Supply: 12Vdc
LED Colour: Warm/Natural White
Kelvins: 3000K-3500K/4000K-4500K
Wattage: 1.8W
Total Lumens: WW 104lm/NW 113lm
CRI: WW Ra 81/NW Ra 83
IP Rating: IP44
Beam Angle: 55°
Cable: 2m
Resistance: 80 Ohms
Current: 0.15 Amps

Brushed Nickel/Warm White
 SY7815BN/WW
 £14.99

Brushed Nickel/Natural White
 SY7815BN/NW
 £14.99



LED Drivers

Please do not exceed wattage stated above

12Vdc 8W LED Driver (3 ports)	
SY9980B	£11.28
12Vdc 15W LED Driver (6 ports)	
SY9739A/MF	£19.97
12Vdc 20W LED Driver (6 ports)	
SY7350A/MF	£27.44
12Vdc 30W LED Driver (6 ports)	
SY7715	£31.50

Prices listed are R.R.P including VAT

Controls & Accessories

Our wireless smart controls enable control by wireless wall plates, smart phones, or even voice control via Amazon Alexa!

Wireless Smart Controls (including dimming)*	
Page 68 - 69	
Door Sensors, Switches and Dimmers*	
Page 70 - 71	
Extension Cables	
2M - SY7183	£1.31
5M - SY7183/5	£2.34
*not compatible with Cucina Lite Touch	



Capella 240V Diffused LED

Mains Voltage no LED Driver required

100° Beam Angle for a bright spread of light



5 YEAR GUARANTEE



Capella Recessed/Surface 240V



Finish: Brushed Nickel
Power Supply: 240V
LED Colour: Warm White/Natural White
Kelvins: 3000-3500K/4000K-4500K
Wattage: 2.6W
Total Lumens: WW 182lm/NW 194lm
CRI: WW Ra 82/NW Ra 87
IP Rating: IP20
Beam Angle: 100°
Cable: 1.5m
 Please note this product is non-dimmable

Recessed


Brushed Nickel/Warm White
 SY7750BN/WW
 £16.14

Brushed Nickel/Natural White
 SY7750BN/NW
 £16.14


Surface

Brushed Nickel/Warm White
 SY7751BN/WW
 £17.54

Brushed Nickel/Natural White
 SY7751BN/NW
 £17.54



Spacer depth if surface mounted 24mm



Capella Tri 240V




Finish: Brushed Nickel
Power Supply: 240V
LED Colour: Warm White/Natural White
Kelvins: 3000-3500K/4000K-4500K
Wattage: 2.6W
Total Lumens: WW 182lm/NW 194lm
CRI: WW Ra 82/NW Ra 87
IP Rating: IP20
Beam Angle: 100°
Cable: 1.5m
 Please note this product is non-dimmable

Brushed Nickel/Warm White

SY7752WW
 £18.31

Brushed Nickel/Natural White

SY7752NW
 £18.31



Controls & Accessories

Our wireless smart controls enable control by wireless wall plates, smart phones, or even voice control via Amazon Alexa!

Wireless Smart Controls (Please note this product is not suitable for dimming)

Page 68 - 69



Sirius 240V LED Link Light

Mains Voltage no LED Driver required

Built-in switch



 5 YEAR GUARANTEE

Change colour from Warm White, to Natural White or to Cool White, using built in switch!



Sirius Tricolour Link Light 240V



Finish: White

Power Supply: 240V

LED Colour: Tri-Colour (Warm/Natural/Cool White)

Kelvins: 3000-3500K/4000K-4500K/6000-6500K

Wattage: See Below

Total Lumens: WW 977lm/NW 1098lm/CW 1019lm*

CRI: WW Ra 83/NW Ra 88/CW Ra 88*

IP Rating: IP20

Cable: 1.8m (included)

* Data based on 10W model

This product is not dimmable

222mm 3W Tricolour LED Link Light

SY7690TRICOLOUR

£16.08

343mm 4W Tricolour LED Link Light

SY7691TRICOLOUR

£18.04

525mm 8.4W Tricolour LED Link Light


SY7692TRICOLOUR

£22.63


640mm 10W Tricolour LED Link Light

SY7693TRICOLOUR

£24.91



Built-in On/off switch



Sirius Link Light 240V



Finish: White

Power Supply: 240V

LED Colour: Warm/Natural White

Kelvins: 3000-3500K/4000K-4500K

Wattage: See Below

Total Lumens: WW 907lm/NW 927lm*

CRI: WW Ra 83/NW Ra 88

IP Rating: IP20

Cable: 1.8m (included)

* Data based on 10W model

This product is not dimmable

222mm 3W LED Link Light

Warm White - SY7690A/WW

Natural White - SY7690NW/1.8M

£12.32

343mm 4W LED Link Light

Warm White - SY7691A/WW

Natural White - SY7691NW/1.8M

£13.53

525mm 8.4W LED Link Light

Warm White - SY7692A/WW

Natural White - SY7692NW/1.8M

£16.57

640mm 10W LED Link Light

Warm White - SY7693A/WW

Natural White - SY7693NW/1.8M


£18.28

904mm 12W LED Link Light

Warm White - SY7694A/WW

Natural White - SY7694NW/1.8M

£19.98



Accessories

Wireless Smart Controls (Please note this product is not suitable for dimming)

Page 68 - 69 (SY9079 only)

1.5m Mains Cable with Stripped Ends

SY9553A £1.74

1m Mains Cable with UK Plug

SY7496 £5.76

Prices listed are R.R.P including VAT

500mm Link Cable

SY9324 £2.42

1m Link Cable

SY9556 £3.38

2m Link Cable

SY9325 £4.44

T: +44 (0) 113 286 6686 www.sycamoreLED.com

Style Guide

LED strip lighting

Under Cabinet. Placing LED strip under cabinets is a great way to enhance task lighting in a kitchen. The continuous light output creates a seamless look, avoiding a "spotting" effect. Perfect for minimalist designs!



Kitchen Island. LED Strip around an island can enhance both the functionality and aesthetics of a kitchen. Paired with a simple lighting control system, these lights can be dimmed to create ambience for a cosy, relaxing atmosphere. Place under the worktop, around the plinth or both!





Need some help?

Our technical team can assist with;

- Bespoke Lighting Design
- Product Technical Queries

Can't find what you are looking for?

We offer a bespoke lighting service - LED strip and extrusions cut to size, please ask us for more details!

Larders, Cupboards & Shelves.

Adding LED strip within these areas can provide extra illumination, great for highlighting decorative items, or brightening up dark cupboards and cabinets.




Why LED Strips work well in a kitchen

- **Linear Illumination.** The continuous light output provides a seamless look, avoiding the "spotting effect".
- **Customisable Lengths.** LED Strips can be cut at small intervals, ensuring a perfect fit under cabinets or around kitchen islands.
- **Energy Efficient.** LED Strips consume less energy, whilst delivering bright, focused light.
- **Colour Options.** Available in warm, natural or cool white to suit any type of kitchen design. They are also available in a tunable white option, or for an added wow-factor, RGB colour changing.

LED Strip for Acoustic Wall Panels

NEW!


Transform your Acoustic Panels by installing our COB LED Strip within a slick black aluminium extrusion.



Installing in our black profile blends in with acoustic panels.



Combine with our wireless lighting controls for complete flexibility



White, Tunable or RGB

Choose from warm or natural white, tunable white or RGB colour changing



Find out more...

To get a quote or to request more information, contact our technical team on 0113 2866686 or email tech@sycamoreled.com

LED Backlighting Sheets

NEW!

A thin, light and flexible LED light source that can be used to backlight a variety of materials, from printed fabrics and duratrans, to thick pieces of marble and onyx.



Backlight various surfaces
Including natural stone and solid surfaces such as translucent Corian Slate & Quartz, and lightboxes.



- Easy to cut down to size, and can wrap around curves and edges
- Customise the shape easily around obstacle with a knife or scissors
- Simple to join sheets together using the supplied cables

Millions of colour combinations!

Adjust brightness & saturation

Fully Dimmable!




Need some help?


Contact our technical team on
0113 2866686 or email
tech@sycamoreled.com

RGB COB

Colour Changing LED Strip



Power Supply: 12Vdc
LED Colour: RGB Colour Changing
Adhesive: 3M VHB
Cable Length: 2m on both ends
Wattage: 10W Per Metre
IP Rating: IP20
Cut Marks: Every 24mm
LED's Per Metre: 756



Alexa! Change LED strip to Blue!

LED Reel

RGB COB 5m Reel
 SY2451A
 £156.58


Accessories - Remotes and Receivers

RGB Receiver
 SY7538B
 £55.69

Remote Control - 4 Zone
 SY8763
 £30.00

Wall Plate Control - 4 Zone
 SY8810/RGBW
 £44.10

Rainbow Remote (Black, Grey or White) - 1 Zone
 SY8819B, G or W
 £28.36



Can also be controlled via a smart phone, tablet, or a voice controlled assistant such as Amazon Alexa!
 (requires free downloadable app)

Accessories - Cables and Connectors

2m Reconnection Cable	SY2453	£4.60
30mm Corner Connector (Flexi)	SY2455	£4.91
Direct Connector	SY2452	£2.51
Bridge Cable 100mm	SY7341A	£2.56
Bridge Cable 1000mm	SY7343A	£4.85
Bridge Cable 5000mm	SY7345A	£7.43
Y Splitter	SY7347A	£5.72


LED Drivers

60W 12Vdc LED Driver (Max 6m)	SY7352A/60W	£32.76
100W 12Vdc LED Driver (Max 10m)	SY7440A/JP	£119.70

Both LED Drivers come with a jack plug to plug directly into the receiver.


VARIOUS ALUMINIUM EXTRUSION AVAILABLE - SEE PAGE 46 & 47

 Fully Dimmable!

 Change from Warm White, Natural White or Cool White!

Tunable COB

LED Strip



Power Supply: 12Vdc
LED Colour: Tunable White (Warm/Natural/Cool)
Adhesive: 3M VHB
Cable Length: 2m on both ends
Wattage: 12W Per Metre
IP Rating: IP20
Cut Marks: Every 21mm
LED's Per Metre: 576



Alexa! Change LED strip to Warm White!

LED Reel

Tunable COB 5m Reel

SY2450

£137.97

Accessories - Remotes and Receivers

Tunable Receiver

SY7699B

£53.32



Remote Control - 4 Zone

Black - SY9565A

White - SY9565

£16.80

Wall Plate Control - 4 Zone

SY8810/TUNABLE


£39.52



Tunable Round Remote (Black, Grey or White) - 1 Zone

SY8813B, G or W

£27.72



Can also be controlled via a smart phone, tablet, or a voice controlled assistant such as Amazon Alexa!
 (requires free downloadable app)

Accessories - Cables and Connectors

2m Reconnection Cable	SY2454	£4.60
30mm Corner Connector (Flexi)	SY2456	£4.91
Direct Connector	SY2452	£2.51
Additional 3 Way Distributor Cable	SY7893A	£6.20
2m Extension Cable	SY8018	£5.67

LED Drivers

60W 12Vdc LED Driver (Max 5m)

SY7352A/60W

£32.76

100W 12Vdc LED Driver (Max 8m)

SY7440A/JP

£119.70

Both LED Drivers come with a jack plug to plug directly into the receiver.

VARIOUS ALUMINIUM EXTRUSION AVAILABLE - SEE PAGE 46 & 47

COB LED Strip Superior


High Power perfect for task lighting

COB Technology LED Points are close together for a dot-less look

Super-slim ideal for handle-less kitchen profiles



 5 YEAR GUARANTEE




COB LED Strip 5m Reel - 4W/PM

Power Supply: 12Vdc
LED Colour: Warm White/Natural White
Kelvins: 3000-3500K/4000K-4500K
Adhesive: 3M VHB
Cable Length: 2m on both ends
Wattage: 4W Per Metre
CRI: Ra >90
IP Rating: IP20
Cut Marks: Every 25mm
LED's Per Metre: 480

LED Strip

COB 5m Reel 4W p/m
 Warm White - SY9001WW
 Natural White - SY9001NW
 £73.06



COB LED Strip 5m Reel - 9.6W/PM


Power Supply: 12Vdc
LED Colour: Warm White/Natural White
Kelvins: 3000-3500K/4000K-4500K
Adhesive: 3M VHB
Cable Length: 2m on both ends
Wattage: 9.6W Per Metre
CRI: Ra >90
IP Rating: IP20
Cut Marks: Every 25mm
LED's Per Metre: 320

LED Strip

COB 5m Reel 9.6W p/m
 Warm White - SY9095WW
 Natural White - SY9095NW
 £57.30

Accessories - Cables and Connectors (for all strips listed above)

Clamp-on Distributor Cable	SY9044	£3.31
Direct Connector	SY9023	£1.32
30mm Corner Connector (Flexi)	SY9024	£3.02
Corner Connector (Fixed)	SY9025	£3.02
2m Extension Cable	SY7183	£1.31
5m Extension Cable	SY7183/5	£2.34



LED Drivers

Please do not exceed wattage stated above

12Vdc 15W LED Driver (6 ports)	
SY9739A/MF	£19.97
12Vdc 20W LED Driver (6 ports)	
SY7350A/MF	£27.44
12Vdc 30W LED Driver (6 ports)	
SY7715	£31.50
12Vdc 60W LED Driver (6 ports)	
SY7352/60W/DIST	£35.28

Prices listed are R.R.P including VAT

Lighting Controls

Our wireless smart controls enable control by wireless wall plates, smart phones, or even voice control via Amazon Alexa!

Wireless Smart Controls (including dimming)

Page 68 - 69

Door Sensors, Switches and Dimmers

Page 70 - 71

Aluminium Extrusions

Page 46 - 47




COB LED Strip Standard

COB Technology LED Points are close together for a dot-less look

Super-slim ideal for handle-less kitchen profiles

Perfect for decorative lighting





COB LED Strip 3/5m Reel - 4W/PM

Power Supply: 12Vdc
LED Colour: Warm White/Natural White
Kelvins: 3000-3500K/4000K-4500K
Adhesive: 3M VHB
Cable Length: 1.5m on both ends
Wattage: 4W Per Metre
CRI: Ra >90
IP Rating: IP20
Cut Marks: Every 25mm
LED's Per Metre: 320

LED Strip

COB 3m Reel 4W p/m
 Warm White - SY9022A/WW
 Natural White - SY9022A/NW
£37.20

COB 5m Reel 4W p/m
 Warm White - SY9018WW
 Natural White - SY9018NW
£57.30

Accessories - Cables and Connectors

Clamp-on Distributor Cable*	SY9044	£3.31
Direct Connector*	SY9023	£1.32
30mm Corner Connector (Flexi)*	SY9024	£3.02
Corner Connector (Fixed)*	SY9025	£3.02
2m Extension Cable	SY7183	£1.31
5m Extension Cable	SY7183/5	£2.34

* Accessories not compatible with IP65 Rated strip SY9093WW/NW



IP65 COB LED Strip 3m Reel - 4W/PM

Power Supply: 12Vdc
LED Colour: Warm White/Natural White
Kelvins: 3000-3500K/4000K-4500K
Adhesive: 3M VHB
Cable Length: 2m on both ends
Wattage: 4W Per Metre
CRI: Ra >90
IP Rating: IP65
Cut Marks: Every 25mm
LED's Per Metre: 480

LED Strip

IP65 COB 3m Reel 4W p/m
 Warm White - SY9093WW
 Natural White - SY9093NW
£78.50



LED Drivers

Please do not exceed wattage stated above

12Vdc 15W LED Driver (6 ports)	
SY9739A/MF	£19.97
12Vdc 20W LED Driver (6 ports)	
SY7350A/MF	£27.44
12Vdc 30W LED Driver (6 ports)	
SY7715	£31.50
12Vdc 60W LED Driver (6 ports)	
SY7352/60W/DIST	£35.28

Prices listed are R.R.P including VAT

Lighting Controls

Our wireless smart controls enable control by wireless wall plates, smart phones, or even voice control via Amazon Alexa!

Wireless Smart Controls (including dimming)

Page 68 - 69

Door Sensors, Switches and Dimmers

Page 70 - 71

Aluminium Extrusions

Page 46 - 47



FLEXILE/ARC LED Strip

Designed for Curves - can bend around curved corners

Solid Colour - no visible LED points



 5 YEAR GUARANTEE



FLEXILE LED Strip 3m Reel

Power Supply: 12Vdc
LED Colour: Warm White/Natural White/Cool White
Kelvins: 3000-3500K/4000K-4500K/6000 - 6500K
Cable Length: 1.5m on both ends
Wattage: 10W Per Metre
CRI: Ra >80
IP Rating: IP44
Cut Marks: Every 20mm
LED's Per Metre: 140

LED Strip

3m Kit (includes 3m LED Reel, 1x 30W LED Driver & 1x Accessory Pack)



Warm White - SY8931A/WW
 Natural White - SY8931A/NW
 Cool White - SY8931A/CW
£125.98

3m Reel

Warm White - SY8913A
 Natural White - SY8914A
 Cool White - SY8915A
£88.78

Accessories

Accessory Pack	SY8930A	£4.03
2m Extension Cable	SY7183	£1.31
5m Extension Cable	SY7183/5	£2.34



ARC LED Strip 5m Reel

Power Supply: 12Vdc
LED Colour: Warm/Natural White*
Kelvins: 3000-3500K/4000K - 4500K*
Adhesive: 3M VHB
Cable Length: 2m at both ends
Wattage: 1.5W per metre/Black 3W per metre
CRI: Ra >90
IP Rating: IP67
Cut Marks: Every 25mm
LED's Per Metre: 60

LED Strip

IP67 ARC 5m Reel - Standard

Warm White - SY9026WW
 Natural White - SY9026NW
£92.82


IP67 ARC 5m Reel - Black

Warm White - SY9078WW
£92.82

* Black ARC only available in Warm White

Accessories

2m Extension Cable	SY7183	£1.31
5m Extension Cable	SY7183/5	£2.34



LED Drivers

Please do not exceed wattage stated above

12Vdc 15W LED Driver (6 ports)	
SY9739A/MF	£19.97
12Vdc 20W LED Driver (6 ports)	
SY7350A/MF	£27.44
12Vdc 30W LED Driver (6 ports)	
SY7715	£31.50
12Vdc 60W LED Driver (6 ports)	
SY7352/60W/DIST	£35.28

Prices listed are R.R.P including VAT

Lighting Controls

Our wireless smart controls enable control by wireless wall plates, smart phones, or even voice control via Amazon Alexa!

Wireless Smart Controls (including dimming)

Page 68 - 69

Door Sensors, Switches and Dimmers

Page 70 - 71

Aluminium Extrusions

Page 46 - 47 (Not suitable for Flexile Strip except SY7367)



T: +44 (0) 113 286 6686 www.sycamoreLED.com

TIP: Place high power strips (9W+ p/m) in an aluminium extrusion to prolong LED life

TIP: Use deeper extrusions to help remove spotting

LED Strip - Reels

Distributor Cable attached to both ends of the reel




5m Reel Economy

4W Per Metre
60 LED's Per Metre

Power Supply: 12Vdc
LED Colour: Warm White/Natural White
Kelvins: 3000-3500K/4000K-4500K
Adhesive: 3M VHB
Cable Length: 2m on both ends
Wattage: 4W Per Metre
CRI: WW Ra 80/NW Ra 83
IP Rating: IP20
Cut Marks: Every 50mm
LED's Per Metre: 60

Economy 5m Reel

Warm White - SY8982WW
Natural White - SY8982NW
£30.85




5m Reel Standard

4W Per Metre
120 LED's Per Metre

Power Supply: 12Vdc
LED Colour: Warm White/Natural White
Kelvins: 3000-3500K/4000K-4500K
Adhesive: 3M VHB
Cable Length: 2m on both ends
Wattage: 4W Per Metre
CRI: WW Ra 85/NW Ra 84
IP Rating: IP20
Cut Marks: Every 25mm
LED's Per Metre: 120

Standard 5m Reel

Warm White - SY8976WW
Natural White - SY8976NW
£42.31



5m Reel Superior

9.6W Per Metre
120 LED's Per Metre

Power Supply: 12Vdc
LED Colour: Warm White/Natural White
Kelvins: 3000-3500K/4000K-4500K
Adhesive: 3M VHB
Cable Length: 2m on both ends
Wattage: 9.6W Per Metre
CRI: WW Ra 82/NW Ra 83
IP Rating: IP20
Cut Marks: Every 25mm
LED's Per Metre: 120

Superior 3m Reel







Warm White - SY8888WW
Natural White - SY8888NW
£35.63

Superior 5m Reel

Warm White - SY8981WW
Natural White - SY8981NW
£46.58

Accessories - Cables and Connectors (for all strips listed above)

Clamp-on Distributor Cable	SY9044	£3.31
Direct Connector	SY9023	£1.32
30mm Corner Connector (Flexi)	SY9024	£3.02
Corner Connector (Fixed)	SY9025	£3.02
2m Extension Cable	SY7183	£1.31
5m Extension Cable	SY7183/5	£2.34



LED Drivers

Please do not exceed wattage stated above

12Vdc 15W LED Driver (6 ports) SY9739A/MF	£19.97
12Vdc 20W LED Driver (6 ports) SY7350A/MF	£27.44
12Vdc 30W LED Driver (6 ports) SY7715	£31.50
12Vdc 60W LED Driver (6 ports) SY7352/60W/DIST	£35.28

Prices listed are R.R.P including VAT

Lighting Controls

Our wireless smart controls enable control by wireless wall plates, smart phones, or even voice control via Amazon Alexa!

Wireless Smart Controls (including dimming)

Page 68 - 69

Door Sensors, Switches and Dimmers

Page 70 - 71

Aluminium Extrusions

Page 46 - 47





LED Strip - IP65 Rated

Shorter lengths ideal for shelving or inside cabinets



LED Strip Economy

4W Per Metre
60 LED's Per Metre

Power Supply: 12Vdc
LED Colour: Warm White/Natural White
Kelvins: 3000-3500K/4000K-4500K
Adhesive: 3M VHB
Cable Length: 1.5m on one end
Wattage: 4W Per Metre
CRI: Ra 85
IP Rating: IP65
Cut Marks: Every 50mm
LED's Per Metre: 60

Economy 1m

Warm/Natural White - SY8983WW/NW
£12.48

Economy 2m

Warm/Natural White - SY8984WW/NW
£21.58

Economy 3m

Warm/Natural White - SY8985WW/NW
£33.34



LED Strip Standard

9.2W Per Metre
120 LED's Per Metre

Power Supply: 12Vdc
LED Colour: Warm White/Natural White/Cool White*
Kelvins: 3000-3500K/4000K-4500K/6000-6500K
Adhesive: 3M
Cable Length: Purchased Separate
Wattage: 9.2W Per Metre
CRI: Ra >80
IP Rating: IP65
Cut Marks: Every 25mm
LED's Per Metre: 120

* 500mm not available cool white

Standard 500mm

Warm/Natural White - SY8027WW/NW
£8.56

Standard 1m

Warm/Natural/Cool White - SY8023WW/NW/CW
£13.48

Standard 2m


Warm/Natural/Cool White - SY8024WW/NW/CW
£23.81

Standard 3m

Warm/Natural/Cool White - SY8025WW/NW/CW
£39.06

Accessories - Cables

2m Distributor Cable	SY7758A	£3.28
Bridge Cable 1000mm	SY7956	£7.25
Bridge Cable 5000mm	SY7957	£7.88
Y Splitter	SY7959	£8.63



LED Strip Superior

9.6W Per Metre
120 LED's Per Metre

Power Supply: 12Vdc
LED Colour: Warm White/Natural White
Kelvins: 3000-3500K/4000K-4500K
Adhesive: 3M VHB
Cable Length: 1.5m on one end
Wattage: 9.6W Per Metre
CRI: WW Ra 85/NW Ra 86
IP Rating: IP65
Cut Marks: Every 25mm
LED's Per Metre: 120

Superior 1m




Warm/Natural White - SY8986WW/NW
£17.71

Superior 2m

Warm/Natural White - SY8987WW/NW
£30.12

Superior 3m

Warm/Natural White - SY8988WW/NW
£42.12



LED Drivers

Please do not exceed wattage stated above

12Vdc 15W LED Driver (6 ports) SY9739A/MF	£19.97
12Vdc 20W LED Driver (6 ports) SY7350A/MF	£27.44
12Vdc 30W LED Driver (6 ports) SY7715	£31.50
12Vdc 60W LED Driver (6 ports) SY7352/60W/DIST	£35.28

Prices listed are R.R.P including VAT

Lighting Controls

Our wireless smart controls enable control by wireless wall plates, smart phones, or even voice control via Amazon Alexa!

Wireless Smart Controls (including dimming)
Page 68 - 69
Door Sensors, Switches and Dimmers
Page 70 - 71


Aluminium Extrusions

Page 46 - 47



Aluminium Extrusion

For LED Strip - Surface



Shallow Surface Mounted

Shallow Surface Mounted

1 Metre Aluminium - SY9573/1


£6.30

1 Metre Diffuser Cover - SY9573DIFF/1M

£1.76

2 Metre Aluminium - SY9573/2

£10.14



Surface Mounted


Surface Mounted

1 Metre Aluminium - SY7367

£7.58

2 Metre Aluminium - SY7367/2

£14.40



Surface Mounted


Surface Mounted (including opal diffuser, end caps & mounting clips)

2 Metre Aluminium - SY7482

£19.85

2 Metre Matt Black - SY7482MB

£24.48




Slim Surface Mounted

Slim Surface Mounted (including opal diffuser & end caps)

2 Metre Matt Black - SY7689BL

£22.20



Deep Surface Mounted


Deep Surface Mounted (including opal diffuser, end caps & mounting clips)

1 Metre Aluminium - SY9583A/1

£12.60

2 Metre Aluminium - SY9583A/2

£22.05



2.5m Surface Mounted


Surface Mounted (including opal diffuser & end caps)

2.5 Metre Aluminium - SY7988/2.5

£31.50

Aluminium Extrusion

For LED Strip - Recessed & Angled



Deep Recessed



Deep Recessed Extrusion (including opal diffuser & end caps)

1 Metre Aluminium - SY7795/1

£12.72

2 Metre Aluminium - SY7795/2

£24.24



Recessed

Recessed Extrusion (including opal diffuser & end caps)

1 Metre Aluminium - SY7388A

£9.95

2 Metre Aluminium - SY7392A


£20.09

2 Metre Black - SY7392MB

£25.30

2.5 Metre Aluminium - SY7392A/2.5

£31.50



45° Diffuser Angled

Angled Extrusion with 45° Diffuser (including opal diffuser, end caps & mounting clips)

1 Metre - SY7843A/1


£17.70

2 Metre - SY7843A/2

£31.50

2.5 Metre - SY7843A/2.5

£33.90



Curved Diffuser Angled

Angled Extrusion (including diffuser, end caps & mounting clips)

1 Metre Aluminium with Opal Diffuser - SY7389A

£10.32

2 Metre Aluminium with Opal Diffuser - SY7409A

£22.32

2 Metre Matt Black with Opal Diffuser - SY7409BL/C

£26.40

2 Metre Matt Black with Black Diffuser - SY7409BL/B

£26.40

2.5 Metre Aluminium with Opal Diffuser - SY7409A/2.5

£33.90



Slim Surface Mounted in black


Style Guide

Plinth, Drawer & Shelf Lighting

Illuminated Shelving is easily installed using hanging brackets, and are available in various sizes. Stylish and modern, they also provide extra ambient lighting to a kitchen.




Plinth lighting is a fantastic way to add an extra dimension to a kitchen! Installed under cabinets at floor level, they can make a room appear more spacious, and add a modern, layered lighting effect.





Battery lighting can be installed within cupboards and cabinets to provide extra illumination in hard to reach places. No wiring is required, so they can be retrofit, or added to areas without any power. They are simple to install, and are easily removed for charging using magnetic brackets.



Drawer lighting is great for adding extra illumination to deep pan drawers, making it easier to locate items inside. Our drawer lights also feature a built-in sensor, so switch on and off automatically when the drawers are open and closed.



Plinth Lighting

Diffused LED so no visible LED Points



 5 YEAR GUARANTEE



Vega Square



Finish: Brushed Nickel
Power Supply: 12Vdc
LED Colour: Warm/Natural White
Kelvins: 3000-3500K/4000-4500K
Wattage: 1.2W per light
Total Lumens: WW 54lm/NW 67lm
CRI: WW Ra 80/NW Ra 85
IP Rating: IP20
Cable: 2m

4 Light Kit Warm White
 SY8974BN/WW
 £35.22

4 Light Kit Natural White
 SY8974BN/NW
 £35.22



Vega Round



Finish: Brushed Nickel
Power Supply: 12Vdc
LED Colour: Warm/Natural White
Kelvins: 3000-3500K/4000-4500K
Wattage: 1.2W per light
Total Lumens: WW 45lm/NW 51lm
CRI: WW Ra 81/NW Ra 85
IP Rating: IP20
Cable: 1.5m

4 Light Kit Warm White
 SY8975BN/WW
 £35.22

4 Light Kit Natural White
 SY8975BN/NW
 £35.22



Sirius Eyelid



Finish: Brushed Nickel
Power Supply: 12Vdc
LED Colour: Natural White
Kelvins: 4000-4500K
Wattage: 1W per light
Total Lumens: 25lm
CRI: Ra 84
IP Rating: IP44
Cable: 2m

4 Light Kit Natural White
 SY7295BN
 £82.53



Verve 15mm







Finish: Stainless Steel/Matt Black*
Power Supply: 12Vdc
LED Colour: Warm/Cool White
Kelvins: 3000-3500K/6000-6500K
Wattage: 0.2W per light
IP Rating: IP67
Cable: 1.5m
 *matt black cover purchased separate

10 Light Kit
 Warm White SY9928WW/A
 Cool White SY9928/A
 £69.24

4 Light Kit
 Warm White SY9936WW
 Cool White SY9936WH
 £41.52

Individual Light
 Warm White SY9937WW
 Cool White SY9937WH
 £6.87

Black Cover
 SY9939BK
 £3.78



LED Drivers

All kits above include LED Driver.

Controls & Accessories

Our wireless smart controls enable control by wireless wall plates, smart phones, or even voice control via Amazon Alexa!

Wireless Smart Controls (including dimming)

Page 68 - 69

Door Sensors, Switches and Dimmers

Page 70 - 71

Extension Cables

2M - SY7183

£1.31

5M - SY7183/5

£2.34



LED Shelving

Mains Voltage no LED Driver required



 **5 YEAR GUARANTEE**



Vega Shelf 400/600mm



Finish: Aluminium

Power Supply: 240V

LED Colour: Natural White

Kelvins: 4000K - 4500K

Wattage: 13W (400mm) or 16W (600mm)

IP Rating: IP44

Max load on shelf 3Kgs.

400mm Shelf


SY8939

£116.92

600mm Shelf

SY8940

£150.25



Sirius Clip on LED 450mm

Power Supply: 12Vdc

LED Colour: Natural White

Kelvins: 4000K - 4500K

Wattage: 2.5W

IP Rating: IP20

Cable: 1.5m


Requires LED Driver.

Suitable for 4mm thick glass.

Clip on LED for 450mm Shelf

SY8941

£21.36



LED Drivers

Please do not exceed wattage stated above (not required for 240V shelves)

12Vdc 8W LED Driver (3 ports)

SY9980B

£11.28

12Vdc 15W LED Driver (6 ports)

SY9739A/MF

£19.97

Controls & Accessories

Our wireless smart controls enable control by wireless wall plates, smart phones, or even voice control via Amazon Alexa!

Wireless Smart Controls (including dimming)*

Page 68 - 69

Door Sensors, Switches and Dimmers*

Page 70 - 71

Extension Cables

2M - SY7183

£1.31

5M - SY7183/5

£2.34

*not compatible with Vega Shelf



Prices listed are R.R.P including VAT

T: +44 (0) 113 286 6686 www.sycamoreLED.com

53

LED Drawer & Battery Lighting

Drawer Light features built in sensor

Battery Light is rechargeable using a USB cable





LED Drawer Light With Sensor



Finish: Stainless Steel
Power Supply: 12Vdc
LED Colour: Natural White
Kelvins: 4000K - 4500K
Wattage: As Listed
CRI: Ra 83
IP Rating: IP20
Cable: 1.5m
Guarantee: 5 Years

Suitable for 15mm to 22mm carcass panels

360mm Drawer Light (for 400mm Cabinet) 2.5W

SY8921

£38.03

460mm Drawer Light (for 500mm Cabinet) 3.2W

SY8922

£39.78

560mm Drawer Light (for 600mm Cabinet) 3.9W

SY8923

£46.06

760mm Drawer Light (for 800mm Cabinet) 5.3W

SY8924

£53.75

860mm Drawer Light (for 900mm Cabinet) 6W


SY8925

£59.26

960mm Drawer Light (for 1000mm Cabinet) 6.7W

SY8926

£60.35



Nova Pro Lithium Rechargeable Battery




Finish: Silver
Lithium Battery: 5v
Battery Capacity: 1100mAh
Lighting Time: 1 Month (based on 5 mins usage per day without charge)
Re-Charge Time: 2.5 hours from no charge to full
Charging: Via USB Cable (included)
LED Colour: Natural White
Kelvins: 4000-4500K
PIR Sensor Max Distance: 4 Metres
Guarantee: 2 Years

Nova Pro 305mm

SY9040

£26.15

LED Driver not required



LED Drivers

Please do not exceed wattage stated above (not required for Nova Pro battery light)

12Vdc 8W LED Driver (3 ports)

SY9980B

£11.28

12Vdc 15W LED Driver (6 ports)

SY9739A/MF

£19.97

Prices listed are R.R.P including VAT

Accessories

Accessories not compatible with Nova Pro Battery Light.

Extension Cables

2M - SY7183

£1.31

5M - SY7183/5

£2.34

Style Guide

Pendant Lighting



Choosing the right pendants for your kitchen

Choose pendants that complement your kitchen's overall design.

- Industrial style pendants work well in modern or industrial kitchens
- Glass or metal pendants suit a sleek minimalist look
- Glass pendants can make a kitchen feel open and bright
- Consider size - large pendants can make a bold statement but can overwhelm a smaller kitchen.

Consider placement

- Kitchen island - use odd numbers (ideally three) for symmetry and balance. Space them out evenly, and place them high enough to avoid obstructing views. All our pendants have adjustable cable so can be positioned to suit their environment easily.
- Dining tables - Place centrally over the table, again taking into consideration the height of the pendant so that there are no obstructions.
- Over a sink or work area - placing a single pendant here can provide extra task lighting





Pendant Lighting

Mains Voltage no LED Driver required

100° Beam Angle no dark spots





Parma LED Pendant

Finish: Matt Black/Copper
Power Supply: 240V
Lamp Type: Built-in 8W COB LED
LED Colour: Natural White
IP Rating: IP20
Cable: 1.5m Adjustable
Dimensions: Height 370mm, Dia 230mm

Not suitable for dimming

Parma LED Pendant Matt Black
 SY7809BL
 £94.07



Parma LED Pendant

Finish: Matt White/Copper
Power Supply: 240V
Lamp Type: Built-in 8W COB LED
LED Colour: Natural White
IP Rating: IP20
Cable: 1.5m Adjustable
Dimensions: Height 370mm, Dia 230mm

Not suitable for dimming

Parma LED Pendant Matt White
 SY7809WH
 £94.07



Concreteo E27 Pendant

Finish: Concrete Effect
Power Supply: 240V
Lamp Type: 1 x E27 (purchased separate)
IP Rating: IP20
Cable: 1.5m Adjustable
Dimensions: Height 300mm, Dia 140mm

Concreteo E27 Pendant
 SY7812GW
 £80.95



Eden E27 Pendant

Finish: Matt Black
Power Supply: 240V
Lamp Type: 1 x E27 (purchased separate)
IP Rating: IP44
Cable: 1m Adjustable
Dimensions: Height 300mm, Dia 250mm

Eden E27 Pendant Matt Black
 SY8823BL
 £71.00



Colorado E27 Pendant

Finish: Matt Black/Antique Brass
Power Supply: 240V
Lamp Type: 1 x E27 (purchased separate)
IP Rating: IP44
Cable: 1m Adjustable
Dimensions: Height 250mm, Dia 300mm

Colorado E27 Pendant Matt Black
 SY8824BL
 £142.00
 Colorado E27 Pendant Antique Brass
 SY8824AB
 £142.00



Avon E27 Pendant

Finish: Matt Black
Power Supply: 240V
Lamp Type: 1 x E27 (purchased separate)
IP Rating: IP44
Cable: 1m Adjustable
Dimensions: Height 210mm, Dia 350mm

Avon E27 Pendant Matt Black
 SY8825BL
 £155.00

Controls & LED Lamps


Our wireless smart controls enable control by wireless wall plates, smart phones, or even voice control via Amazon Alexa!

Wireless Smart Controls (including dimming)

- (a) E27 Filament 5W LED Lamp (Dimmable) Round
- (b) E27 Filament 5W LED Lamp (Dimmable) GLS
- (c) E27 Filament 5W LED Lamp (Dimmable) Candle

Page 68 - 69

- CR7239
- SY7986/E27GLS
- SY7986/E27



- £9.00
- £9.00
- £9.00





Hudson E27 Pendant

Finish: Chrome Glass Shade
Power Supply: 240V
Lamp Type: 1 x E27 (purchased separate)
IP Rating: IP44
Cable: 1m Adjustable
Dimensions: Height 250mm, Dia 230mm

Hudson E27 Pendant
SY8826
£90.00



Madeira E27 Pendant

Finish: Holographic Chrome Shade*
Power Supply: 240V
Lamp Type: 1 x E27 (purchased separate)
IP Rating: IP44
Cable: 1m Adjustable
Dimensions: Height 250mm, Dia 230mm

Madeira E27 Pendant
SY8827
£116.00

* Please note each shade is unique in design



Yukon E27 Pendant

Finish: Chrome
Power Supply: 240V
Lamp Type: 1 x E27 (purchased separate)
IP Rating: IP44
Cable: 1m Adjustable
Dimensions: Height 180mm, Dia 280mm

Yukon E27 Pendant
SY8828CC
£106.00



Nile E27 Pendant

Finish: Smoky Black Glass Shade
Power Supply: 240V
Lamp Type: 1 x E27 (purchased separate)
IP Rating: IP44
Cable: 1m Adjustable
Dimensions: Height 250mm, Dia 300mm

Nile E27 Pendant
SY8829
£149.00



Clyde E27 Pendant

Finish: Clear Glass Shade
Power Supply: 240V
Lamp Type: 1 x E27 (purchased separate)
IP Rating: IP44
Cable: 1m Adjustable
Dimensions: Height 250mm, Dia 280mm

Clyde E27 Pendant
SY8830AC
£173.00



Ohio E27 Pendant

Finish: Clear Glass Shade
Power Supply: 240V
Lamp Type: 1 x E27 (purchased separate)
IP Rating: IP44
Cable: 1m Adjustable
Dimensions: Height 210mm, Dia 250mm

Ohio E27 Pendant
SY8831
£97.00

Controls & LED Lamps

Our wireless smart controls enable control by wireless wall plates, smart phones, or even voice control via Amazon Alexa!

Wireless Smart Controls (including dimming)


- (a) E27 Filament 5W LED Lamp (Dimmable) Round
- (b) E27 Filament 5W LED Lamp (Dimmable) GLS
- (c) E27 Filament 5W LED Lamp (Dimmable) Candle

Page 68 - 69

CR7239

SY7986/E27GLS

SY7986/E27



£9.00

£9.00

£9.00





Danube E27 Pendant

Finish: Clear & Smoky Glass Shade
Power Supply: 240V
Lamp Type: 1 x E27 (purchased separate)
IP Rating: IP44
Cable: 1m Adjustable
Dimensions: Height 210mm, Dia 150mm

Danube E27 Pendant
SY8832
£103.00



Lena E27 Pendant

Finish: Smoky Black Glass with Dimples
Power Supply: 240V
Lamp Type: 1 x E27 Candle (purchased separate)
IP Rating: IP44
Cable: 1m Adjustable
Dimensions: Height 250mm, Dia 260mm

Lena E27 Pendant
SY8833
£103.00



NEW!

Yuna E27 Pendant

Finish: Matt Black
Power Supply: 240V
Lamp Type: 1 x E27 (purchased separate)
IP Rating: IP44
Cable: 1m Adjustable
Dimensions: Height 205mm, Dia 290mm

Yuna E27 Pendant
SY8834B
£94.50



NEW!

Volta E27 Pendant

Finish: Matt Black/Matt White
Power Supply: 240V
Lamp Type: 1 x E27 (purchased separate)
IP Rating: IP44
Cable: 1m Adjustable
Dimensions: Height 330mm, Dia 270mm

Volta E27 Pendant Matt Black
SY8835B
£94.50

Volta E27 Pendant Matt White
SY8835W
£94.50



NEW!

Dawson E27 Pendant

Finish: Matt Black
Power Supply: 240V
Lamp Type: 1 x E27 (purchased separate)
IP Rating: IP44
Cable: 1m Adjustable
Dimensions: Height 210mm, Dia 350mm

Dawson E27 Pendant
SY8836
£94.50



NEW!

Chama E27 Pendant

Finish: Matt Black/Gold
Power Supply: 240V
Lamp Type: 1 x E27 (purchased separate)
IP Rating: IP20
Cable: 1m Adjustable
Dimensions: Height 505mm, Dia 200mm

Chama E27 Pendant Matt Black
SY8837B
£94.50

Chama E27 Pendant Gold
SY8837G
£94.50

Controls & LED Lamps

Our wireless smart controls enable control by wireless wall plates, smart phones, or even voice control via Amazon Alexa!

Wireless Smart Controls (including dimming)


- (a) E27 Filament 5W LED Lamp (Dimmable) Round
- (b) E27 Filament 5W LED Lamp (Dimmable) GLS
- (c) E27 Filament 5W LED Lamp (Dimmable) Candle

Page 68 - 69

CR7239

SY7986/E27GLS

SY7986/E27



£9.00

£9.00

£9.00



Ceiling Lighting

Mains Voltage no LED Driver required

Loop-in-Loop-Out tool-free connector

Magnetic Bezels various colours available



NEW!



Riga Flex - Switchable & Multi Wattage



Finish: White (Chrome, Brushed Nickel, Matt Black, Gold or Copper bezel available to purchase separate)

Power Supply: 240V

LED Colour: Switchable (Very Warm, Warm, Natural or Cool White)

Kelvins: Switchable (2700K, 3000K, 4000K or 6000K)

Wattage: Switchable - 4W, 6W, 8W

Total Lumens: 4W >400lm, 6W >600lm, 8W >800lm

CRI: Ra >80

IP Rating: IP65

Beam Angle: 60°

Cut Out Size: 70mm

LED Downlight White

SY9067WH

£20.40

Chrome Bezel

SY9068CC

£3.00

Brushed Nickel Bezel

SY9068BN

£3.00

Matt Black Bezel

SY9068BK

£3.00

Gold Bezel


SY9068G

£3.00

Copper Bezel

SY9068CO

£3.00



Riga Uno



Finish: White (Chrome, Brushed Nickel, Matt Black, Gold or Copper bezel available to purchase separate)

Power Supply: 240V

LED Colour: Warm White/Natural White

Kelvins: 3000-3500K/4000K-4500K

Wattage: 6W

Total Lumens: 600lm

CRI: Ra >80

IP Rating: IP65

Beam Angle: 40°

Cut Out Size: 68mm - 70mm

LED Downlight

Warm White - SY9057WW

Natural White - SY9057NW

£15.11

Chrome Bezel

SY9051CC

£2.51

Brushed Nickel Bezel

SY9051BN

£2.51

Matt Black Bezel

SY9051BK

£1.25

Gold Bezel


SY9051G

£2.51

Copper Bezel

SY9051CO

£2.51



Controls & Accessories

Our wireless smart controls enable control by wireless wall plates, smart phones, or even voice control via Amazon Alexa!

Wireless Smart Controls (including dimming)

Page 68 - 69

Prices listed are R.R.P including VAT

T: +44 (0) 113 286 6686 www.sycamoreLED.com



Power Ports

Space Saving solution for kitchens and home offices

Pop-Up technology





Powertech Micro



Finish: Stainless Steel
UK Sockets: 2
USB Ports: 1 X USB-C & 1 X USB-A (2.1A combined)
IP Rating: IP20
Cable: 1.8m
Cut Out Size: 60mm

Socket outlets on this product are 3 amp rated, max 660W.
 Not suitable for use with high wattage items such as irons, kettles & toasters.

Powertech Micro
 SY9863SS
 £79.38



Powertech Pro Qi



Finish: Stainless Steel/Black
Wireless Charging: Qi
UK Sockets: 3
USB Ports: 1 X USB-C (3.0A) & 1 X USB-A (2.1A)
IP Rating: IP20
Cable: 2m
Cut Out Size: 95mm

Super-slim top

Powertech Pro Stainless Steel
 SY9058SS
 £229.09
Powertech Pro Black
 SY9058BL
 £247.09



Powertech Qi



Finish: Black
Wireless Charging: Qi
UK Sockets: 3
USB Ports: 2 X USB-A (2.1A per port)
IP Rating: IP44 (when closed)
Cable: 1.9m
Cut Out Size: 95mm

Powertech Qi
 SY8993BK
 £189.60







Powertech



Finish: Silver, Stainless Steel, Black
UK Sockets: 3
USB Ports: 1 X USB-C (3.0A) & 1 X USB-A (2.1A)
IP Rating: IP20
Cable: 1.5m
Cut Out Size: 102mm

Powertech Silver
 SY7192SI
 £75.54
Powertech Stainless Steel
 SY7192STST
 £82.20
Powertech Black
 SY7192BK
 £75.54



EVoline®

We are an approved
 EVoline supplier....

NEW!



EVOLine One

Finish: Listed below
UK Sockets: 1
IP Rating: IP20
Cable: 3m & UK Plug
Surface Depth: 9mm - infinite
Cut Out Size: 54mm

Black/Black

SY9734BK

£115.88



Black/Stainless

SY9734BS

£127.47



Black/Brass

SY9734BB

£127.47



White/White

SY9734WH

£115.88



White/Stainless

SY9734WS

£127.47



White/Brass

SY9734WB

£127.47



NEW!



EVOLine One

Finish: Listed below
USB Ports: 1X USB-A & 1X USB-C
IP Rating: IP20
Cable: 3m & UK Plug
Surface Depth: 9mm - infinite
Cut Out Size: 54mm

Black/Black

SY9734USB

£198.00



Black/Stainless

SY9734USB/BS

£225.58



Black/Brass

SY9734USB/BB

£225.58



White/White

SY9734USB/WH

£198.00



White/Stainless

SY9734USB/WS

£225.58



White/Brass

SY9734USB/WB

£225.58



NEW!



EVOLine R Dock & Wing

Finish: Listed below
UK Sockets: 2
USB Ports: 2 X USB-C
IP Rating: IP20
Cable: 3m & separate UK Plug
Surface Depth: 9mm - infinite

Black & Wing

SY9731BL

£434.78






Silver & Wing

SY9731SI

£434.78



EVOLine One with USB also available with cover, please ask our sales team for details.





EVoline BackFlip

Finish: Listed below
UK Sockets: 2
USB Ports: 1 X USB-C
IP Rating: IP20
Cable: 3m & UK Plug
Surface Depth: 10mm - 40mm
Cut Out Size: 88mm x 215mm

EVoline BackFlip - Black Steel

SY9736BS

£431.50

EVoline BackFlip - Black Glass (Matt)

SY9736MB

£535.21

EVoline BackFlip - Black Glass

SY9736BK

£494.36

EVoline BackFlip - Brass Effect

SY9736BE

£409.50

EVoline BackFlip - Grey Ceramic

SY9736GC

£495.37

EVoline Back Flip - Stainless Steel

SY9736SS

£342.72

EVoline BackFlip - White Steel





SY9736WS

£431.50

EVoline BackFlip - White Glass

SY9736WH

£508.08




Wireless Qi Charger

Finish: Black
Standard: Qi V1.2 Compliant
Wireless Charging Distance: <4mm
Input Voltage: DC 5 - 12V
Input Current: 2.0A
Rated Output: 2.0A
Power Loading Max: 15W Max
Wireless Charging Efficiency: >75%
Operating Temperature: 0 - 40 °C
Self-Power Consumption: 0.5W
Cut Out Size: 60mm

Wireless Hidden Qi Charger

SY7962/2A

£30.18



EVoline® We are an approved
 EVoline supplier...

Wireless Smart Lighting Controls

Control Lighting Easily 5 different ways to control;

- Wireless Wall Switches or Panels
- Hand-held Remote Control
- Smartphone or Tablet (using free app)
- Voice Control Assistant (Amazon Alexa or Google Assistant)

30m
control distance

Easy to install!

1. Choose required receiver
2. Choose required control option

Alexa! Turn Kitchen
Lights On!





Receiver 12/24Vdc ON/OFF & DIMMING

Power Supply: 12Vdc/24Vdc

Compatible with all our 12/24Vdc LED Lighting. Switch on and off, and dim.

- Use in conjunction with the following;
- Wireless Wall Switches
- Remote Control
- Wall Control Panels
- Smart Phone or Tablet
- Voice Control Assistant (Alexa etc)

12Vdc Receiver (On/Off & Dimming)
SY7542B
£51.36

Wireless Wall Switches



These switches are available up to 3 gang, and can turn connected lights on and off. Lights can also be dimmed by pressing and holding the relevant switch. Includes push module which makes the switches wireless.

Backbox required, purchased separate.

Requires 1 X CR2032 battery (included).

Wireless Wall Switches
1 Gang - SY9081/1
£20.59
2 Gang - SY9081/2
£26.12
3 Gang - SY9081/3
£31.24



Receiver 240V ON/OFF

Power Supply: 240V

Compatible with all our 240V LED Lighting and extractor fans. Switch on and off only.

- Use in conjunction with the following;
- Wireless Wall Switches
- Remote Control
- Wall Control Panels
- Smart Phone or Tablet
- Voice Control Assistant (Alexa etc)

240V Receiver (On/Off)
SY9079
£31.50

Remote Controls



Control and dim up to 4 different zones of lighting using these remotes. Black remote includes a scene saving button to save your favourite settings.

Black remote comes with an adhesive-backed wall holder, and both include 2 x AAA batteries.

Black Remote Control
SY9565A
£16.80
White Remote Control
SY9565
£16.80



Receiver 240V ON/OFF & DIMMING


Power Supply: 240V

Compatible with all our 240V LED Lighting. Switch on and off, and dim.

- Use in conjunction with the following;
- Wireless Wall Switches
- Remote Control
- Wall Control Panels
- Smart Phone or Tablet
- Voice Control Assistant (Alexa etc)

240V Receiver (On/Off & Dimming)
SY9080
£52.04

Wall Panels



These panels can control 1 zone of lighting. They can be used to turn lights on and off, or dim to suit. Multiple receivers can be paired to one controller.

These panels require no wiring, and include an adhesive back to stick the to the wall.

The round switch in model (c) & (d) can be removed and used as a hand-held remote, simply detach from the magnetic base.

Round Wall Panels (Single Zone)
(a) White - SY8817W
£20.16
(b) Black - SY8817B
£20.16
Detachable Round Wall Panels (Single Zone)
(c) White - SY8818W
£25.20
(d) Black - SY8818B
£25.20

Lighting Controls

Door, Swipe & Dimming



Door/Swipe Sensor

Finish: White
Power Supply: 12/24Vdc
Cable Length: 2m (Input & Output Cables 1m)
Max Current: 10A
Sensor Range: Up to 70mm
Wattage: 12Vdc 100W/24Vdc 200W
IP Rating: IP20
Mounting: Recessed or Surface
Guarantee: 12 Months



Magnetic Door Sensor

Finish: Silver
Power Supply: 12/24Vdc
Cable Length: 200mm
Max Current: 8mA
Sensor Distance: 5m
Wattage: 12Vdc 36W/24Vdc 72W
IP Rating: IP20
Mounting: Surface
Guarantee: 12 Months



Dimming Touch Sensor

Finish: Silver
Power Supply: 12/24Vdc
Cable Length: 2m
Wattage: 12Vdc 60W/24Vdc 120W
IP Rating: IP20
Mounting: Surface
Guarantee: 12 Months

Includes 6 way block

Kit includes 1 x controller and specified number of wireless magnetic door sensor switches

SY8814A
 Single Door
£22.78

SY8814A/DD
 Double Door
£26.16




SY2449/1
 Single Door Kit
£38.05

SY2449/2
 Double Door Kit
£55.08

SY2449/3
 Triple Door Kit
£72.20

SY2449/4
 Quad Door Kit
£89.32

SY7917B/DIST
 Touch Dimmer
£15.12



Lighting Controls

PIR Motion Sensors



Wireless PIR Sensor

Finish: White
Power Supply: Battery Operated
Sensor Distance: Up to 7m
Sensor Range: 120°
Adjustable Timer: 30 - 60 Minutes*
IP Rating: IP54
Mounting: Surface via adhesive pad
Battery: CR1233A 3V included
Guarantee: 12 Months

Requires receiver (listed below)

* Timer is set to turn of lights if no movement has been sensed after 30 seconds. To adjust from 30 seconds through to 60 minutes, a remote control is required, listed below. The remote can also adjust the brightness sensitivity from 20% to 100%, with the default setting being 100%.


SY8963RF/A
 Wireless PIR Sensor
£38.50

SY7542B
 12Vdc Receiver
£51.36

SY7079
 240V On/Off Receiver
£31.50

SY7080
 240V On/Off/Dimming Receiver
£52.04



SY9565A - Black Remote
SY9565 - White Remote
 Black/White Remote Control (for adjusting time and brightness sensitivity if required)
£16.80



Micro PIR Sensor

Finish: White
Power Supply: 12/24Vdc
Cable Length: 2m (Input & Output Cables 1m)
Max Current: 10A
Sensor Distance: 1 - 3m
Sensor Range: 120°
Adjustable Timer: 30 - 150 Seconds
Wattage: 12Vdc 100W/24Vdc 200W
IP Rating: IP20
Mounting: Recessed or Surface
Guarantee: 12 Months

SY8815A
 Micro PIR Sensor
£21.42




PIR Sensor

Finish: White (Silver cover available to purchase separate)
Power Supply: 240V
Sensor Distance Seated: 4m
Sensor Distance Walking Across: 10m
Sensor Distance Walking Towards: 6m
Sensor Range: 360°
Timer Adjustment: 30 Seconds to 30 Mins
Lux Adjustment: 10 - 2000Lux
Cut Out Size: 34mm
IP Rating: IP20 (IP65 Cover available to purchase separate)
Guarantee: 12 Months

SY7262A
 PIR Sensor
£126.64

SY7561
 Silver Cover
£5.03

SY7898
 IP65 Cover
£13.24



LED Drivers

12Vdc



 5 YEAR GUARANTEE



8W 12Vdc

Power Supply: 12Vdc
Wattage: 8W
Ports: 3
 With mains cable (bare ends)



8W 12Vdc LED Driver
 SY9980B
£11.28



15W 12Vdc

Power Supply: 12Vdc
Wattage: 15W
Ports: 6
 With infinity cable


15W 12Vdc LED Driver
 SY9739A/MF
£19.97



20W 12Vdc

Power Supply: 12Vdc
Wattage: 20W
Ports: 6
 With infinity cable


20W 12Vdc LED Driver
 SY7350A/MF
£27.44



30W 12Vdc

Power Supply: 12Vdc
Wattage: 30W
Ports: 6
 With infinity cable


30W 12Vdc LED Driver
 SY7715
£31.50



60W 12Vdc

Power Supply: 12Vdc
Wattage: 60W
Ports: 6 or Jack Plug
 With infinity cable or jack plug (jack plug model for use with smart controls)


60W 12Vdc LED Driver
 Infinity Cable - SY7352/60W/DIST
£35.28
 Jack Plug - SY7352A/60W
£32.76



100W 12Vdc

Power Supply: 12Vdc
Wattage: 100W
Ports: 6 or Jack Plug
 With mains cable (bare ends) or jack plug (jack plug model for use with smart controls)



100W 12Vdc LED Driver
 Mains Cable (bare ends) SY7440A
£119.70
 Jack Plug - SY7440A/JP
£119.70



30W/50W 12Vdc Dimmable

Triac Leading or Trailing Edge
Power Supply: 12Vdc
Wattage: 30W or 50W
Ports: 6
 With infinity cable

12Vdc Dimmable LED Driver
 30W - SY7443A/MF
£36.48
 50W - SY7445B/50W
£62.94



Accessories

1m Mains Cable with UK Plug
 SY7496
£5.76

500mm Link Cable
 SY9324
£2.42


1m Link Cable
 SY9556
£3.38

2m Link Cable
 SY9325
£4.44

iCON Fans



iCON 60



iCON 60

Ideal for large bathrooms and utility rooms, and domestic kitchens.

Finish: White (other covers available, see right)

Extract Volume: 78 l/sec

Sound Pressure d B (A) @ 3M: 41.6

Fan Type: Mixed

Mounting (Wall/Ceiling): Rec and Sur

Weight (Kg): 1.97

Outlet (dia): 150mm

Power: 9.4W

Voltage: 230/1PH/50Hz

Max Amb. Temp: 40 °C

IP Rating: IPX4

Guarantee: 3 Years

Modules & Accessories

SY7071	(a) PCM Module Pull Cord	£38.50
SY7072	(b) TM Module Timer	£45.50
SY7094	(c) HTM Module Humidity/Timer/Pull Cord	£103.00
SY7095	(d) PRTM Module PIR/Timer	£183.00
SY7096	(e) PRHTM Module PIR/Humidity/Timer	£200.00

iCON 60 Covers



Anthracite Cover

Navy Blue Cover

Sandstone Cover




Silver Cover


Turquoise Cover

Ultimate Grey Cover

iCON 60 (recessed)



iCON 60 (surface)



SY7760/C/ANTH	Anthracite	£70.56
SY7760/C/NB	Navy Blue	£70.56
SY7760/C/SAND	Sandstone	£70.56
SY7760/C/SIL	Silver	£70.56
SY7760/C/TQ	Turquoise	£70.56
SY7760/C/UG	Ultimate Grey	£70.56

SY7660










iCON 60 Fan White

£343.98

Prices listed are R.R.P including VAT

T: +44 (0) 113 286 6686 www.sycamoreLED.com

Glossary of Icons & Technical Data


	Indicates the compliance with the low voltage and electromagnetic compatibility
	Indicates the compliance with the applicable requirements from products sold within the UK.
	Class I lighting: includes earth protection as a complementary security measure against electrical shocks
	Class II lighting: includes a reinforced or double insulation as a protection against electrical shocks
	Class III lighting: the protection against electrical shocks comes from the supply of very low voltage tension
	Suitable for installation on normally combustible surfaces
	Suitable for use in furniture
	For indoor use only
	WEEE Compliant
ROHS	ROHS compliant

ERP Directive

ERP Directive effective from 5th December 2019, commission regulation (EU) No 2019/2020 laid down new eco-design requirements for light sources and separate control gears.

Furthermore, the energy labelling was newly regulated and simplified in scope and was introduced for light sources from 1st September 2021.

A typical ERP label is shown.



EnabLED

LEDs and LED controls are the future of lighting, and as LED capabilities continue to evolve and expand, new markets are opening up all the time. Developing new, innovative solutions for tomorrow's new LED applications takes significant investment in research and design, so by joining the EnabLED licensing program, Sycamore LED has gained access to over 490 Signify inventions and patented technologies, which we can now build into our own products. With access to these cutting-edge technologies, we can gain greater freedom to design optimal solutions for our products. We can shorten our time to market and also achieve an excellent balance of cost-to-quality including cost-effectiveness in our component sourcing.

Please visit www.signify.com/enabled to confirm which companies are currently licensed in the scheme and what the EnabLED licensing program covers in more detail.



Colour Appearance and Colour Temperature

The most common terminology is to classify colour temperature as one of three options. These being warm white (approx 3000k), natural white (approx 4000k) and cool white (approx 6000k).

Colour Rendering Index (CRI)

This is a figure that indicates the accuracy of the reflective surface colour of an object when subjected to artificial light. For example an object in daylight on a reasonably sunny day will be subject to a CRI of 100 from the light source, which in this case would be daylight, the sun. Theoretically the colour of an object will be 100% true.

Once the same object is placed into a dark room and a light fitting with a CRI of 85 is illuminating it, then the colour of that object will be 85% of its true colour. Therefore the higher the CRI, the more accurate the colour.

Colour temperature has a bearing on this as a white object would appear "yellow" if illuminated by a warm white light source. Careful consideration has to be taken to ensure that the correct type of light with the correct CRI and colour temperature is selected for any given installation.

A CRI of 80 is the minimum standard.

Total Lumens

This relates to the amount of light (lumens) emitted from a light fitting in relation to the amount of power it uses to create this output. There are now regulations in place that state minimum lumens per watt criteria and any lights that do not conform aren't able to be used in certain applications. Advice should always be taken to ensure that the correct lighting is used on any installation.

Beam Angles

The beam angle of a light fitting allows the installer to determine the spacing of light fittings as to achieve the most uniform, consistent lighting onto the desired area.

Terms and Conditions

1. **DEFINITIONS:** a) The "seller" means Sycamore Lighting Ltd. b) The "buyer" means the person who buys or agrees to buy the goods from the seller. c) The 'goods' means all items which the buyer agrees to buy from the seller.
2. **GENERAL:** Orders are only accepted subject to the Conditions of Sale set out below and the seller shall not be bound by any other terms, written, verbal or implied, or which are conditions customary in the trade and whether contained in customer's order or not. These conditions shall apply unless expressly varied by the seller in writing.
3. **TERMS:** Credit accounts are nett strictly within 30 days. Interest at a rate of 8% per annum above Bank of England base rate, together with any expenses incurred in collecting payments, will be added to the agreed price in respect of any part thereof not paid, on or before the due date. Where a new account is to be opened two trade references are required. The seller has the right to discontinue delivery without notice if the buyer defaults in payment, or if circumstances warrant such discontinuance. The seller also has the right to refuse credit terms to a buyer for any reason. Pro-forma orders will only be delivered when the seller has received payment in full, including confirmed clearance of any cheque.
4. **PRICES:** Whilst every endeavour will be made to deliver at the prices quoted, the seller reserves the right to invoice at the price ruling at the date of delivery. All prices are subject to VAT at the rate prevailing at the date of invoice.
5. **RISK AND DELIVERY:** a) Goods are delivered to the buyer when the seller makes them available to the buyer (or any agent of the buyer) at the seller's premises or other delivery point agreed by the seller and risk in the goods passes when they are delivered to the buyer. b) The seller shall not be liable for any penalty, loss, injury, damage or failure in delivery from any cause at all nor shall any such delay or failure entitle for any buyer to refuse to accept any delivery or to repudiate the contract. c) Any dates quoted by the seller for delivery of the goods are approximate only and shall not form part of the contract and the buyer acknowledges that in the performance expected of the seller no regard has been paid to any quoted delivery dates.
6. **CARRIAGE AND ADMINISTRATION CHARGES:** A carriage charge of £8.50 will be added to all invoices on orders of under £150.00 excluding VAT to UK mainland addresses. All offshore islands and EC countries will incur a separate delivery charge, based on the weight of the total order. Please note administration and delivery charges are subject to change without prior notice.
7. **CLAIMS:** Claims must be notified in writing within seven days of receipt, otherwise responsibility cannot be accepted. The seller's liability shall be limited to, at the seller's option, replacing the goods or refunding the price of the goods. Under no circumstances shall the liability of the seller exceed the price of the goods. Replacements for damaged goods will be charged and credit issued on the return of the damaged goods to the seller in the original packaging.
8. **RETENTION OF TITLE:** a) In spite of delivery having been made, property in the goods shall not pass from the seller until payment in full of the price by the buyer. B) Notwithstanding delivery, property in the goods shall not pass from the seller until all other sums owed by the buyer to the seller have been paid in full. c) Until payment in full for the goods, the buyer shall hold the goods on a fiduciary basis as a bailee for the seller. d) Whilst the buyer has the right to dispose of the goods in the ordinary course of business on a bona fide sale without notice to the customer of the seller's rights hereunder, the entire proceeds of sale or otherwise of the goods shall be held in trust for the seller until payment in full for the goods. e) Until payment in full for the goods the buyer hereby grants the seller the right to enter any premises where the goods are stored in order to re-possess or inspect them.
9. **BREACH AND INSOLVENCY:** If the buyer breaches any condition of this contract or becomes subject to an Administration Order or becomes bankrupt or has a receiver appointed for or distress is levied on any part of its assets or business or goes into liquidation or makes any composition with its creditors, the seller shall be entitled (whether in respect of this contract or any other) to: a) Withhold any further deliveries to the buyer and/or cancel the contract without liability; b) Appropriate any payment made by the buyer to such of the goods (whether supplied under this contract or any other) as the seller shall think fit; c) Immediate payment of all sums whatever, owing by the buyer to the seller notwithstanding any previous agreement to the contrary; d) Exercise any of its right pursuant to clause 8 above.
10. **PRODUCT INFORMATION:** Although the seller shall use its best endeavours to ensure that the information contained in the seller's catalogue is correct at the time of going to press, the seller shall not be under any liability for any damage, loss or expense resulting from any error or omission contained in the seller's catalogue. Goods supplied may vary in detail from the illustrations, drawings and descriptions (which are approximate and for guidance only) in the seller's catalogue as a result of improvements or modifications. Colour finishes will be maintained as accurately as possible, but matching cannot be guaranteed.
11. **FORCE MAJEURE:** The seller shall not be liable for any default due to any act of God, war, strikes, lock-outs or other industrial action, difficulties in obtaining labour or parts, government or other restrictions or regulations or other event beyond the reasonable control of the seller.
12. **LAW AND JURISDICTION:** All disputes arising out of or in connection with the contract shall be governed by English law and the buyer accepts the jurisdiction of the Courts Of England.
13. **RETURN AND RESTOCKING:** When goods are agreed for a return or cancellation the buyer shall pay a handling or restocking charge to cover administration and inspection charges involved in reprocessing products back into stock. The charge will be subject to change without prior notice but is currently 25% of the invoiced value of the goods. Non standard and special items ordered by the buyer cannot be accepted for return.
14. **GUARANTEES:** Refer to individual product specification. Terms and conditions apply to the guarantees, and lamp life of our products. Please refer to our website for further details.
15. **CUT OUT SIZES AND DIMENSIONS:** These are correct at time of printing. We do not recommend any holes are cut until goods are received and checked.

The company reserves the right to alter technical details without prior notification.

SycamoreLED.com
Unit 5A, Helios 47
3 Isabella Road
Garforth, Leeds
LS25 2DY

www.sycamoreLED.com



Tel: +44 (0)113 286 6686

sales@sycamoreLED.com

tech@sycamoreLED.com